

*World Best Quality*

# Ice Cream Machine

---

Mini Ice Cream Machine  
Table Type Ice Cream Machine  
Stand Type Ice Cream Machine  
Automatic Ice Cream Vending Machine



# WORLD NO.1 QUALITY OF MINI ICE CREAM MACHINE

**NEW**



ISI-161TH

ISI-161T/TI



LCD display panel



Agitator



Top Out Air flow

## Exterior

Dimension	Net.		Gross.	
	mm	inch	mm	inch
Width	300	11.8	400	15.7
Depth	775	30.5	850	33.4
Height	750	29.5	850	33.4

Weight	Net.		Gross.	
	kgs	lbs	kgs	lbs
	89	196	108	238

## Specifications

### Refrigeration System

Comp	No.	Ref.
Freezing	1ea	R-404A
Cooling	None	

### Production Capacity

Max. Production	12kg/h(26.5lbs/h)
First Dispensing	6~8min
Consecutive Dispensing	5~6 cups(100cc/3.5oz)

### Power supply

Power consumption	1,400 Watt
	115V / 60Hz / 1Ph
Voltage	208~230V / 60Hz / 1Ph
	220~240V / 50Hz / 1Ph



### Features

- Slim and compact design
- Can serve yogurt & Soft ice cream



### Mix Hopper

- 3liter(0.79 gallon)
- Maintain in the temp of mix under 5°C(41°F) in Auto & Stan by mode.



### Freezing Cylinder

- One, 1.6liter(0.42gallon) x 1EA



### Agitator

- Quick cooling prevents separation of liquids.



### Direct Motor Drive

- Less noise & Less vibration



### Heat Treatment System(Pasteurization System)

- Pasteurization involves heating dairy products for a period of time to kill bacteria, maintaining dairy products to 2 weeks. **Only ISI-161TH**

# THE NEW TABLE & STAND TYPE ICE CREAM MACHINE

**NEW**



ISI-163TT(P)



ISI-163ST

## ISI-163TT(P)

### Exterior

Dimension	Net.		Gross.	
	mm	inch	mm	inch
Width	510	20.1	610	24
Depth	745	29.3	845	33.3
Height	770	30.3	1,020	40.2

Weight	Net.		Gross.	
	kgs	lbs	kgs	lbs
	170	375	190	418.9

## ISI-163ST

### Exterior

Dimension	Net.		Gross.	
	mm	inch	mm	inch
Width	510	20.1	610	24
Depth	745	29.3	845	33.3
Height	1,470	57.8	1,660	65.3

Weight	Net.		Gross.	
	kgs	lbs	kgs	lbs
	179	394.6	195	429.9

## Specification for ISI-163TT(P) & ISI-163ST

### Refrigeration System

Comp	No.	Ref.
Freezing	2ea	R-404A
Cooling	1ea	R-134A

### Production Capacity

Max. Production	24Kg/h(52.9lbs/h)
First Dispensing	6~8min
Consecutive Dispensing	7~10cups(100cc/3.5oz)

## Power supply for ISI-163TT(P) & ISI-163ST

Power consumption	2,700 Watt
	208~230V / 60Hz / 1Ph
Voltage	220~240V / 50Hz / 1Ph



Lid Stopper



Agitator



Pump

# TABLE & STAND TYPE ICE CREAM MACHINE



## Compact Design

Can be installed in tight areas.



## Low noise & vibration

Operating sound is very quiet compared to other similar graded products.



**Single Flavor**



**Two Flavors & One Twist**

	SSI-141TG	SSI-143S
<b>Dimension</b>	395x640x635 (mm) 15.6x25.2x25(inch)	510x610x1,430 (mm) 20x24x58.7(inch)
<b>Weight</b>	80kg(176lbs)	183kg(375lbs)
<b>Voltage</b>	208~230V / 60Hz / 1Ph 220~240V / 50Hz / 1Ph	208~230V / 60Hz / 1Ph 220~240V / 50Hz / 1Ph



SSI-141TG

SSI-143S



## Luxurious & Simple Design

Touch screen button and simplified display match with any interior design.



## Artificial Intelligence Control System

A.I Control System makes high quality soft serve ice cream.



## (P)\*Model has Air Pump System

Air Pump increases over-run which makes Soft Serve Ice Cream much smoother and softer.



**Single Flavor**



**Two Flavors & One Twist**

	SSI-151TG	SSI-203N(P)*
<b>Dimension</b>	404x730x695 (mm) 15.9x28.7x27.3(inch)	530x830x1,435 (mm) 20.8x32.6x56.5(inch)
<b>Weight</b>	95kg(202.8lbs)	266kg(586.4lbs)
<b>Voltage</b>	208~230V / 60Hz / 1Ph 220~240V / 50Hz / 1Ph	208~230V / 60Hz / 1Ph 220~240V / 50Hz / 1Ph 208~230V / 60Hz / 3Ph 380~420V / 50Hz / 3Ph



SSI-151TG

SSI-203SN(P)\*



SSI-300T

ISI-303SNA(P)\*



### Powerful Production Capacity

Oversized compressor cuts down on production time.



### Mass Storage Capacity

The Large Mix Hopper & Cylinder can serve Ice Cream & Yogurt continuously.



### Agitator

Quick Cooling  
Prevents separation of liquids.



### (P)\*Model has Air Pump System

Air Pump increases over-run which makes Soft Serve Ice Cream much smoother and softer.



Single Flavor



Two Flavors  
& One Twist

	SSI-300T	ISI-303SNA(P)*
<b>Dimension</b>	472x809x820(mm) 18.6x31.8x32.3(inch)	665x890x1,445(mm) 26.1x35x56.8(inch)
<b>Weight</b>	134Kg(287lbs)	347Kg(765lbs)
<b>Voltage</b>	208~230V / 60Hz / 1Ph 220~240V / 50Hz / 1Ph	208~230V / 60Hz / 1Ph 220~240V / 50Hz / 1Ph 208~230V / 60Hz / 3Ph 380~420V / 50Hz / 3Ph

**NEW**



ISI-321TA (ISI-300TA)



### Powerful Production Capacity

Oversized compressor cuts down on production time.



### Mass Storage Capacity

The Large Mix Hopper & Cylinder can serve Soft Ice Cream & Frozen Yogurt continuously.



### Agitator

Quick Cooling  
Prevents separation of liquids.



### Direct Motor Drive

Less noise and Less vibration



Single Flavor

### ISI-321TA (ISI-300TA)

<b>Dimension</b>	462x840x850(mm)	18.2x33.1x33.5(inch)
<b>Weight</b>	143.5Kg(308.65lbs)	
<b>Voltage</b>	(ISI-300TA) 208~230V / 60Hz / 1Ph (ISI-321TA) 220~240V / 50Hz / 1Ph	

# NEW TREND! SPAGHETTI ICE CREAM!

## Single Flavor

**ISI-322ST**

**Dimension** 472x809x820(mm) 18.6x31.9x32.2(inch)

**Weight** 133.5Kg(294.3lbs)

**Voltage** 208~230V / 60Hz / 1Ph  
220~240V / 50Hz / 1Ph

\*Other functions are the same with SSI-300T

### 2WAY CONFIGURATION

Available on both spaghetti shape & normal shaped soft ice cream



ISI-322ST



# HURRICANE ICE CREAM MACHINE

## Single Flavor

**ISI-321TTA**

**Dimension** 472x809x820(mm) 18.6x31.9x32.2(inch)

**Weight** 133.5Kg(294.3lbs)

**Voltage** 208~230V / 60Hz / 1Ph  
220~240V / 50Hz / 1Ph

### How to make the Hurricane Ice Cream



1. Dispensing Ice Cream  
Cup/Spoon/Cover (Optional)



2. Add toppings



3. Operate the blender

\* CUP/SPOON/COVER(OPTIONAL)



ISI-321TTA

# HEAT TREATMENT ICE CREAM MACHINE



ISI-301TH(P)\*

## Single Flavor

### ISI-301TH(P)\*

<b>Dimension</b>	462x840x850(mm)	18.2x33.1x33.5(inch)
<b>Weight</b>	143.5Kg(308.65lbs)	
<b>Voltage</b>	208~230V / 60Hz / 1Ph 220~240V / 50Hz / 1Ph	



### Powerful Production Capacity

Oversized compressor cuts down on production time.



### Mass Storage Capacity

The Large Mix Hopper & Cylinder can serve Soft Ice Cream & Frozen Yogurt continuously.



### Agitator

Quick Cooling  
Prevents separation of liquids.



### Direct Motor Drive

Less noise and Less vibration



### Heat Treatment System(Pasteurization System)

Pasteurization involves heating dairy products for a period of time to kill bacteria, maintaining dairy products up to two weeks. You can also choose an automatic or manual pasteurization system.



### Defrost Function

Save cleaning time.



### (P)\*Model has Air Pump System

Air Pump increases over-run which makes Soft Serve Ice Cream much smoother and softer.



### Direct Motor Drive

Less noise and Less vibration



### Heat Treatment System(Pasteurization System)

Pasteurization involves heating dairy products for a period of time to kill bacteria, maintaining dairy products up to two weeks. You can also choose an automatic or manual pasteurization system.



### Agitator

Quick Cooling  
Prevents separation of liquids.



### (P)\*Model has Air Pump System

Air Pump increases over-run which makes Soft Serve Ice Cream much smoother and softer.



ISI-271THN

ISI-273SHN(P)

## Single Flavor

## Two Flavors & One Twist

### ISI-271THN

### ISI-273SHN(P)

<b>Dimension</b>	380x790x917(mm) 14.9x31.1x36.1(inch)	530x832x1,500(mm) 20.8x32.7x59(inch)
<b>Weight</b>	132.5Kg(330.6lbs)	
<b>Voltage</b>	208~230V / 60Hz / 1Ph 220~240V / 50Hz / 1Ph	380~420V / 50Hz / 3Ph 380V / 60Hz / 3Ph 208~230V / 60Hz / 3Ph

# AUTOMATIC ICE CREAM VENDING MACHINE

## Self Serve Ice Cream Machine - 1 Flavor



ISI-271THSN

ISI-271SHSN



### Heat treatment function

No need to clean every day  
(cleaning cycle per 2 weeks)



### Various Functions

Defrost/Regeneration/Boiling



### Agitator

For quick cooling &  
Prevents separation of liquids



### Single Flavor

#### ISI-271THSN

#### ISI-271SHSN

#### Dimension

380x842x917(mm)  
14.9x33.1x36.1(inch)

380x842x1,390(mm)  
14.9x33.1x54.7(inch)

#### Weight


142kg(313lbs)

164kg(362lbs)

#### Voltage

208~230V / 60Hz / 1Ph  
220~240V / 50Hz / 1Ph

### It's the easiest way to enjoy soft ice cream



Place a cup  
or cone



Press button



Take ice cream  
and enjoy



ICETRO can supply  
cups with foldable  
spoon attached  
on the bottom.

## Self Serve Ice Cream Machine with Coin/Token Mechanism System



STAND TYPE

TABLE TYPE



### Heat treatment function

No need to clean every day  
(cleaning cycle per 2 weeks)



### Various Functions

Defrost/Regeneration/Boiling



### Agitator

For quick cooling &  
Prevents separation of liquids



### Coin/Token Device

Various currency of coin/token  
is optional



### Single Flavor

#### STAND TYPE

#### TABLE TYPE

#### Dimension

380x842x917(mm)  
14.9x33.1x36.1(inch)

380x842x1,390(mm)  
14.9x33.1x54.7(inch)

#### Weight

142kg(313lbs)

164kg(362lbs)

#### Voltage

208~230V / 60Hz / 1Ph  
220~240V / 50Hz / 1Ph

### It's the easiest way to enjoy soft ice cream



Place a cup  
or cone



Press button



Take ice cream  
and enjoy



ICETRO can supply  
cups with foldable  
spoon attached  
on the bottom.

# AUTOMATIC ICE CREAM VENDING MACHINE

## Self Serve Ice Cream Machine - 3 Flavors - Keynotes of New product



### Revolution of Self Serve Ice Cream Machine

#### Two Flavors & One Twist

ISI-273SH3S

<b>Dimension</b>	668x981x1595(mm) 26.3x38.6x62.8(inch)
<b>Weight</b>	284.5kg(627.2lbs)
<b>Voltage</b>	208~230V / 60Hz / 3Ph 380~420V / 50Hz / 3Ph 380V / 60Hz / 3Ph

Other functions are the same with ISI-271THS/SHS

### Feature

One Mixed Flavor.  
Can serve Yogurt & Soft Ice Cream.

### Mix Hopper

Two, 17.9liter (4.72gallon) capacity.  
Maintain the temperature of mix, under 5°C (41°F) in Auto & Stand by mode.

### Freezing Cylinder

Two, 2.7liter (0.71gallon) capacity.

### Convenient washing system

- Water supply can be connected directly, the model with pasteurization function can boil water for the easy cleaning of the cylinder and water storage bucket.

### Mix Flavor

With just one vending machine, mix flavor can be made by adopting two cylinders inside.



#### Defrost Function

Save cleaning time.



#### Direct Motor Drive

Less noise and Less vibration



#### Various Functions

Defrost / Regeneration  
/ Boiling Function



#### Heat Treatment System

(Pasteurization System)



#### Agitator

Quick Cooling  
Prevents liquid separation.



# AUTOMATIC ICE CREAM VENDING MACHINE



ISIV-273SHC

## How to enjoy



1. Insert bill or coin



2. Press button



3. Enjoy

## ISIV-273SHC Ice Cream Vending Machine

### Feature

One Mixed Flavor.  
Can serve Yogurt & Soft Ice Cream.

### Mix Hopper

Two, 12.5liter (3.3gallon) capacity.  
Maintain the temperature of mix,  
under 5°C (41°F) in Auto & Stand by mode.

### Freezing Cylinder

Two, 2.7liter (0.71gallon) capacity.

### 19" LED TV & Sound

By adopting display monitor & audible device, sound effect,  
demonstration effect can lead sales to be successful.

### Mix Flavor

With just one vending machine, mix flavor can be made  
by adopting two cylinders inside.

### Simple Operation

All you need to do to eat ice cream is  
insert coin or paper money & press the button.



**Cup dispenser**  
contains 170cups



**19" LED TV**  
Video & Jpeg available



**Wifi-Control System**  
**Mobile & PC**



**Automatic Door**



**Anti-insects Screen**



**Heat Treatment System**  
(Pasteurization System)



**Agitator**  
Quick Cooling  
Prevents liquid separation.



**Various Functions**  
Defrost / Regeneration  
/ Boiling Function



**Bill & Coin Mechanism**

## Exterior

Dimension	Net.		Gross.	
	mm	inch	mm	inch
Width	1,010	39.4	1,110	43.7
Depth	1,080	42.5	1,180	46.4
Height	1,838	73.2	2,040	80.3

Net	Kgs	lbs
Weight	478.5	1,054.9

## Power supply

Power consumption	4,500 Watt
	380V / 60HZ / 3Ph
Voltage	380~420V / 50HZ / 3Ph
	208~230V / 60Hz / 3Ph

## Specifications

### Refrigeration System

	Comp	No.	Ref.
Freezing		2	R-404A
Cooling		-	

\* Air-Cooling condenser.

\* BTUs may vary depending on compressor used.

### Production Capacity

Max. Production	12.85Kg/h(28.2lbs/h)
First Dispensing	7~11min
Consecutive Dispensing	170cups(100cc / 3.5oz)

# Frozen Yogurt & Soft Ice Cream Machine



## ISI-161T/TI/TH

**NEW**

Mix Hopper Capacity	3liter(0.79gallon)
Cylinder Capacity	1.6liter(0.42gallon) x 1EA
Power consumption	1,400W
Dasher Motor	0.35KW
Maximum Production	12Kg(26.45lbs/h)
First Dispensing Time	6~9min
Consecutive Dispensing	5cups(100cc/3.5oz)
Compressor-Cylinder	0.85HP(R404A)
Compressor-Mix Hopper	None



## ISI-163TT(P)

**NEW**

Mix Hopper Capacity	5.5liter(1.45gallon) x 2EA
Cylinder Capacity	1.6liter(0.42gallon) x 2EA
Power consumption	2,700W
Dasher Motor	0.35KW
Maximum Production	24Kg(52.91lbs/h)
First Dispensing Time	6~8min
Consecutive Dispensing	∞cups(100cc/3.5oz)
Compressor-Cylinder	0.85HP x 2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



## SSI-141TG

Mix Hopper Capacity	10liter(2.64gallon)
Cylinder Capacity	1.4liter(0.37gallon)
Power consumption	1,150W
Dasher Motor	0.37KW
Maximum Production	12Kg(26.45lbs/h)
First Dispensing Time	6~8min
Consecutive Dispensing	5~6cups(100cc/3.5oz)
Compressor-Cylinder	0.85HP(R404A)
Compressor-Mix Hopper	None



## SSI-151TG

Mix Hopper Capacity	10liter(2.64gallon)
Cylinder Capacity	1.4liter(0.37gallon)
Power consumption	1,370W
Dasher Motor	0.37KW
Maximum Production	16Kg(35.27lbs/h)
First Dispensing Time	6~9min
Consecutive Dispensing	5~6cups(100cc/3.5oz)
Compressor-Cylinder	0.85HP(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



## SSI-300T

Mix Hopper Capacity	17.5liter(4.62gallon)
Cylinder Capacity	3.2liter(0.85gallon)
Power consumption	2,050W
Dasher Motor	0.75KW
Maximum Production	30Kg(70.5lbs/h)
First Dispensing Time	8~10min
Consecutive Dispensing	15~18cups(100cc/3.5oz)
Compressor-Cylinder	1.2HP(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



## ISI-321TA

Mix Hopper Capacity	17.5liter(4.62gallon)
Cylinder Capacity	3.2liter(0.85gallon)
Power consumption	2,000W
Dasher Motor	0.75KW
Maximum Production	30Kg(66.14lbs/h)
First Dispensing Time	8~10min
Consecutive Dispensing	20~24cups(100cc/3.5oz)
Compressor-Cylinder	1.77HP(R404A)
Compressor-Mix Hopper	None

**Heat Treatment**



## ISI-271THN

Mix Hopper Capacity	9.5liter(2.61gallon)
Cylinder Capacity	2.7liter(0.72gallon)
Power consumption	2,170W(PUMP>Add 200W)
Dasher Motor	0.75KW
Maximum Production	21Kg(46.3lbs/h)
First Dispensing Time	7~11min
Consecutive Dispensing	8~10cups(100cc/3.5oz)
Compressor-Cylinder	1.5HP(R404A)
Compressor-Mix Hopper	None

**Heat Treatment**



## ISI-301TH(P)\*

Mix Hopper Capacity	17.5liter(4.6264gallon)
Cylinder Capacity	3.2liter(0.85gallon)
Power consumption	2,000W(PUMP>Add 200W)
Dasher Motor	0.75KW
Maximum Production	30Kg(66.14lbs/h)
First Dispensing Time	8~10min
Consecutive Dispensing	20~24cups(100cc/3.5oz)
Compressor-Cylinder	1.77HP(R404A)
Compressor-Mix Hopper	None



## ISI-321TTA

Mix Hopper Capacity	17.5liter(4.62gallon)
Cylinder Capacity	3.2liter(0.85gallon)
Power consumption	2,170W
Dasher Motor	0.75KW
Maximum Production	30Kg(66.14lbs/h)
First Dispensing Time	8~10min
Consecutive Dispensing	20~24cups(100cc/3.5oz)
Compressor-Cylinder	1.2HP(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



## ISI-322ST

Mix Hopper Capacity	17.5liter(4.62gallon)
Cylinder Capacity	3.2liter(0.85gallon)
Power consumption	2,170W
Dasher Motor	0.75KW
Maximum Production	30Kg(66.14lbs/h)
First Dispensing Time	8~10min
Consecutive Dispensing	20~24cups(100cc/3.5oz)
Compressor-Cylinder	1.2HP(R404A)
Compressor-Mix Hopper	0.35HP(R134a)

# Frozen Yogurt & Soft Ice Cream Machine



## ISI-163ST

**NEW**

Mix Hopper Capacity	5.5liter(1.45gallon) x 2EA
Cylinder Capacity	1.6liter (0.42gallon) x 2EA
Power consumption	2,700W
Dasher Motor	0.35KW
Maximum Production	24Kg(52.91lbs/h)
First Dispensing Time	6~8min
Consecutive Dispensing	∞ cups(100cc/3.5oz)
Compressor-Cylinder	0.85HP x 2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



## SSI-143S

Mix Hopper Capacity	5.5liter(1.45gallon) x 2EA
Cylinder Capacity	1.4liter(0.37gallon) x 2EA
Power consumption	2,700W
Dasher Motor	0.37KW x 2EA
Maximum Production	24Kg(52.91lbs/h)
First Dispensing Time	6~8min
Consecutive Dispensing	(5~7)x2cups(100cc/3.5oz)
Compressor-Cylinder	0.85HP x 2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



## SSI-203SN(P)\*

Mix Hopper Capacity	10liter(2.64gallon) x 2EA
Cylinder Capacity	2.7liter(0.72gallon) x 2EA
Power consumption	4,500W
Dasher Motor	0.75KW x 2EA
Maximum Production	42Kg/h(92.6lbs/h)
First Dispensing Time	7~11min
Consecutive Dispensing	16~40cups(100cc/3.5oz)
Compressor-Cylinder	1.3HP x 2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)



## ISI-303SNA(P)\*

Mix Hopper Capacity	17.5liter(4.64gallon) x 2EA
Cylinder Capacity	3.2liter(0.85gallon) x 2EA
Power consumption	6,050W
Dasher Motor	0.75KW x 2EA
Maximum Production	68Kg/h(149.91lbs/h)
First Dispensing Time	8~10min
Consecutive Dispensing	50~90cups(100cc/3.5oz)
Compressor-Cylinder	2.0HP x 2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)

**Heat Treatment**



## ISI-273SHN(P)

Mix Hopper Capacity	9.5liter(2.61gallon) x 2EA
Cylinder Capacity	2.7liter(0.72gallon) x 2EA
Power consumption	4,200W
Dasher Motor	0.75KW x 2EA
Maximum Production	42Kg(92.59lbs/h)
First Dispensing Time	7~11min
Consecutive Dispensing	∞ cups(100cc/3.5oz)
Compressor-Cylinder	1.5HP(R404A) x 2EA
Compressor-Mix Hopper	None

**Self serve**



## ISI-273SH3S

Mix Hopper Capacity	17.9liter(4.72gallon) x 2EA
Cylinder Capacity	2.7liter(0.71gallon) x 2EA
Power consumption	4,300W(PUMP>Add 200W)
Dasher Motor	0.75KW x 2EA
Maximum Production	12.8Kg(28.2lbs/h)
First Dispensing Time	7~10min
Consecutive Dispensing	15~40cups(100cc/3.5oz)
Compressor-Cylinder	1.5HP(R404A) x 2EA
Compressor-Mix Hopper	None

**Self serve**



## ISI-271THSN/SHSN

Mix Hopper Capacity	12.3liter x 1EA
Cylinder Capacity	2.7liter x 1EA
Power consumption	2,200W
Dasher Motor	0.75KW
Maximum Production	21Kg(46.29lbs/h)
First Dispensing Time	7~11min
Consecutive Dispensing	∞ cups
Compressor-Cylinder	1.5HP x 1EA(R404A)
Compressor-Mix Hopper	None

**Auto Vending Machine**



## ISIV-273SHC

Mix Hopper Capacity	12.5liter(3.3gallon) x 2EA
Cylinder Capacity	2.7liter(0.71gallon) x 2EA
Power consumption	4,000W
Dasher Motor	0.75KW x 2EA
Maximum Production	42Kg(92.59lbs/h)
First Dispensing Time	7~11min
Consecutive Dispensing	∞ cups
Compressor-Cylinder	1.5HP x 2EA(R404A)
Compressor-Mix Hopper	None

\*Product's exterior and specification can be modified without prior notice.



ICETRO.COM

## Pride of No.1 brand in Korea

We are committed to providing first-class equipment and excellent customer service.

The ICETRO brand stands for the best quality and the best value-it is our platform and we will strive to continue upward in making it a true brand name around the world.

“The best value of soft serve ice cream machine, slush machine and ice maker ”



**SIMPLICITY**



**RELIABILITY**



**PERFORMANCE**



LISTED



# ICETRO

**SINCE 1981 - ARTISAN SPRIT**

Ice Cube Machine  
Ice Cream Machine  
Slush Machine

54-7 Road, Gumdan-Ro, Seo-ku, Incheon, Korea  
TEL : +82-32-814-2160 FAX : +82-32-814-1798  
Website : [www.icetro.com](http://www.icetro.com)  
E-mail : [sales@icemaker.co.kr](mailto:sales@icemaker.co.kr)

Distributed by :

